

CAT® SMALL WHEEL LOADER ATTACHMENT OPTIONS

» Get Multiple Machines Out of One

For more information, visit
Cat.com/attachments or
contact your local Cat dealer.



BUILT FOR IT.™

AEXQ1853-00 August 2016

© 2016 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, BUILT FOR IT, their respective logos, "Caterpillar Yellow," the "Power Edge" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

BUILT FOR IT.™



DO MORE WITH ONE MACHINE.

Invest in what you already own — give your machine Cat® attachments and equip it to do more. And because our attachments are engineered, balanced and tested to each Cat model, they promise to minimize stress and optimize performance. Browse our lineup and find the tools to make your work easier.



ANGLE BROOMS



Brush from both sides.

Our angle brooms can be set straight or swept 30 degrees to either side. A unique suspension system eliminates support wheels and maintains even ground pressure. Our mix of wire bristles and polypropylene improves brush life. Manual or hydraulic models are available with an optional water system.

Specifications

Attachment Models	Machine Models	Sweeping Width		Brush Diameter	
		mm	(in)	mm	(in)
BA25*	926M/930M	2500	(98)	700	(28)
BA30*	938M	3000	(118)	915	(36)

*Optional 100 L (400 gal) water sprinkler system is available.

Small Wheel Loaders

926M 930M 938M

CONSTRUCTION FORKS



Lift industrial-grade loads.

Wider than the standard pallet forks, our construction forks are designed for heavy-duty applications. Fork tines can be adjusted to swing in and hold a fixed position. Equipped with large risers, the construction forks can handle large palletized loads.

Specifications

Machine Models	Tine Length		Carriage Width	
	mm	(in)	mm	(in)
All below	1524-1829	(60-72)	2489	(98)

Small Wheel Loaders

926M 930M 938M

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS



Work with mildly abrasive materials.

Our general purpose performance series buckets offer all-around performance for stockpiling, rehandling, excavating and bank loading. Rounded sidebars help funnel material into the bucket and aid in retaining it. And our open throat design improves heap size and fill factor. Use for low-impact digging in moderately abrasive materials such as dirt, loam, gravel and clay. Select from a range of bucket sizes and teeth.

Specifications

Machine Models	Interface	Width Range		Capacity Range	
		mm	(in)	m ³	(yd ³)
All below	Fusion™	2540-2743	(100-108)	1.91-2.91	(2.50-3.80)
All below	IT	2540-2743	(100-108)	2.37-2.60	(3.10-3.40)
All below	Pin-on	2540-2743	(100-108)	1.68-2.91	(2.20-3.80)

Small Wheel Loaders
926M 930M 938M

GRADING BUCKETS



Level ground in less time.

The long flat floor of our grading buckets offer complete visibility of the cutting edge while working. And our bucket shape provides flexibility to scoop, level or backfill.

Specifications

Machine Models	Interface	Width		Capacity	
		mm	(in)	m ³	(yd ³)
All below	Fusion™	2700	(106)	1.86	(2.43)

Small Wheel Loaders
926M 930M 938M

GRAPPLE BUCKETS



Transport loose materials.

Dual ladder-style grapple tines allow our grapple buckets to clamp down on loose, lightweight material. They're ideal for transfer stations and landfills.

Specifications

Machine Models	Interface	Width		Capacity Range	
		mm	(in)	m ³	(yd ³)
All below	Fusion™	2697	(106)	2.52-3.06	(3.30-3.40)

Small Wheel Loaders

926M 930M 938M

HIGH DUMP BUCKETS



Load and unload large volumes.

Our high dump buckets are made to effectively move large quantities of low-density materials. The dedicated dumping cylinders and bottom hinge gently roll material out and a grated spill guard directs material while loading and unloading, without impeding visibility. They're ideal for transfer stations or loading high-sided trucks.

Specifications

Machine Models	Interface	Width Range		Capacity Range	
		mm	(in)	m ³	(yd ³)
All below	Fusion™	2540-3048	(100-120)	2.98-4.97	(3.90-6.50)
All below	ISO	2540-3048	(100-120)	2.98-4.97	(3.90-6.50)
All below	Pin-on	2540-3048	(100-120)	2.98-4.97	(3.90-6.50)
All below	IT	2667	(105)	3.25	(4.25)

Small Wheel Loaders

926M 930M 938M

LIGHT MATERIAL BUCKETS



Move low-density materials.

Our light material buckets feature an open profile, making it easier to fill and dump contents. Designed to hold large loads of low-density materials, light material buckets maximize productivity.

Specifications

Machine Models	Interface	Width		Capacity Range	
		mm	(in)	m ³	(yd ³)
All below	Fusion™	2743	(108)	3.13-4.97	(4.10-6.50)
All below	IT	2540	(100)	2.60-3.06	(3.40-4.00)
All below	Pin-on	2743	(108)	2.60-4.97	(3.40-6.50)

Small Wheel Loaders
926M 930M 938M

LOADER RAKES



Spend less time on site cleanup.

Separate brush and debris from soil using dual hydraulic top clamps which clamp down on the teeth of our loader rakes. The brush rake is angled in order to retain large loads while a tree pusher sits on the reinforced push bar.

Specifications

Attachment Models	Interface	Machine Models	Raking Width		Teeth	Tooth Spacing	
			mm	(in)		mm	(in)
Loader	Fusion™	All below	2495	(98)	8	349	(13.8)
Loader, w/Top Clamp	Fusion™	All below	2146-2844	(85-112)	7-9	349	(13.8)

Small Wheel Loaders
926M 930M 938M

MATERIAL HANDLING ARMS



Carry and place with precision.

Safely transport non-uniform items. Cat material handling arms are manually expandable and offer up to four positions with up to 4140 mm (163") of reach.

Specifications

Machine Models	Interface	Weight		Retracted Length		Extended Length	
		kg	lb	mm	(in)	mm	(in)
All below	Fusion™	486-598	(1,071-1,319)	2537	(100)	4166	(164)
All below	HPL	475	(1,047)	2426	(95.5)	4028	(158)
All below	IT	449	(990)	2006	(79)	3937	(155)

Small Wheel Loaders
926M 930M 938M

MILLYARD FORKS



Relocate logs in less time.

Featuring a tight-closing top clamp, our millyard forks can secure single logs for transport. Rolled tips and frame curves promote a rolling action for smoother loading and unloading.

Specifications

Machine Models	Tine Length		Carriage Width	
	mm	(in)	mm	(in)
938M	1378	(54)	2211	(87)

Small Wheel Loaders
926M 930M 938M

MULTI-PURPOSE BUCKETS



Tackle multiple tasks.

Our multi-purpose buckets feature a unique four-way action design. Dual hydraulic cylinders power the front portion of the bucket allowing it to act as a grapple. When partly open, the bucket can meter out fill material or bulldoze. When completely closed, it functions as a conventional bucket.

Specifications

Machine Models	Interface	Width		Capacity Range		Weight	
		mm	(in)	m ³	(yd ³)	kg	(lb)
All below	Fusion™	2540	(100)	2.1	(2.7)	1288	(2834)
All below	IT	2540-2590	(100-102)	2.1-2.3	(2.7-3.0)	1211-1248	(2670-2751)

Small Wheel Loaders

926M 930M 938M

PALLET FORKS



Move palletized materials.

Straight and offset tines, offered in three different lengths, make our pallet forks ideal for safely transporting bulky materials or loaded pallets.

Specifications

Machine Models	Tine Length		Carriage Width	
	mm	(in)	mm	(in)
All below	1220-1524	(48-60)	1524	(60)

Small Wheel Loaders

926M 930M 938M

PICKUP BROOMS



Collect and dump debris.

Our pickup brooms allow you to sweep and deposit materials into an integrated, easy-to-empty hopper. Our suspension system doesn't require support wheels and maintains constant ground pressure. Bristles are polypropylene for a longer brush life.

Specifications

Attachment Model	Machine Models	Sweeping Width*		Brush Diameter	
		mm	(in)	mm	(in)
BP25	926M/930M	2500	(98)	700	(28)

*Available with standard water system with 100 L (400 gal) water capacity

Small Wheel Loaders
926M 930M 938M

PIPE AND POLE FORKS



Move a range of pipes and poles.

Our pipe and pole forks were engineered for utilities and oil and gas applications. They feature a wide carriage, fixed tines and full-width, double-acting clamp to hold one or many pieces of pipe, in a range of diameters, for transport. The clamp is specifically designed to secure pipes without damaging them.

Specifications

Machine Models	Interface	Tine Length		Carriage Width	
		mm	(in)	mm	(in)
930M, 938M	Fusion™	1829	(72)	2693	(106)
930M, 938M	IT	1829	(72)	2693	(106)

Small Wheel Loaders
926M 930M 938M

SAND AND GRAVEL BUCKETS



Work with harsh materials.

Designed for aggregate handling in batch plant loader applications, our sand and gravel buckets feature side and bottom wear plates to protect the bucket from abrasive materials.

Specifications

Machine Models	Interface	Width		Capacity Range		Weight	
		mm	(in)	m ³	(yd ³)	kg	(lb)
All below	Fusion™	2743	(108)	2.4-3.2	(3.2-4.2)	1149-1264	(2,532-2,788)
All below	Pin-on	2743	(108)	2.5-3.2	(3.3-4.2)	1170-1289	(2,580-2,842)

Small Wheel Loaders
926M 930M 938M

SIDE DUMP BUCKETS



Work with more maneuverability.

Our side dump buckets can unload to either side or straight ahead – an advantage when working in tight quarters. A straight edge makes loading easier and angled sides funnel material for greater accuracy when dumping.

Specifications

Machine Models	Interface	Width		Capacity Range		Weight	
		mm	(in)	m ³	(yd ³)	kg	(lb)
All below	Fusion™	3105	(115.3-122)	1.82-1.91	(2.39-2.5)	1219-1653	(2,869-3,645)
All below	IT	2921-3048	(115-120)	1.53-1.63	(2-2.13)	1209-1700	(2,666-3,750)
All below	Pin-on	2946-3099	(116-122)	1.63-1.91	(2.13-2.5)	1710-1723	(3,770-3,800)

Small Wheel Loaders
926M 930M 938M

SORTING GRAPPLE FORKS



Stack, carry, sort.

Ideal for log and lumber applications, our sorting grapple forks are built with a powerful clamp with adjustable force to minimize damage potential, as well as short tines for greater control when loading.

Specifications

Machine Models	Interface	Width		Tine Length		Area	
		mm	(in)	mm	(in)	m ²	(ft ²)
All below	Fusion™	1812	(71)	1269	(50)	1.92	(21)

Small Wheel Loaders
926M 930M 938M

SPECIAL APPLICATION BROOMS



Sweep with more strength.

With a reinforced core and high-strength, extra-thick polypropylene bristles, our special application brooms are built for aggressive sweeping, capable of moving heavy material and coal seams. An optional water system and shield are available.

Specifications

Attachment Models	Machine Models	Sweeping Width		Brush Diameter	
		mm	(in)	mm	(in)
2.5	926M, 930M	2500	(98)	915	(36)
3.0	938M	3000	(118)	915	(36)

Small Wheel Loaders
926M 930M 938M

WASTE HANDLING BUCKETS



Move more light material.

Our waste handling buckets move large volumes of low-density material, making them ideal for transfer stations, landfills and recycling yards. A screen on the upper portion of the bucket traps loose trash without inhibiting operator visibility.

Specifications

Machine Models	Interface	Width		Capacity Range		Weight	
		mm	(in)	m ³	(yd ³)	kg	(lb)
All below	Fusion™	2921	(115)	3.8	(5)	1907	4,206
All below	Pin-on	2743-2927	(108-115)	3.2-5.0	(4.25-6.5)	1489-2670	3,283-5,887

Small Wheel Loaders

926M 930M 938M

WOODCHIP BUCKETS



Handle high volumes of woodchips.

Our woodchip buckets feature a flat floor and straight edge for scooping chips, and the tall and wide bucket frame means you can heap more in every load.

Specifications

Machine Models	Interface	Width		Capacity Range		Weight	
		mm	(in)	m ³	(yd ³)	kg	(lb)
All below	Fusion™	3276-3327	(129-131)	5.0-5.5	(6.5-7.25)	1717-1795	3,785-3,957
All below	IT	3276-3403	(129-134)	4.5-5.1	(6.6-6.75)	1320-1542	2,910-3,400
All below	Pin-on	3276-3403	(129-134)	5.0-5.5	(6.5-7.25)	1321-1587	2,913-3,500

Small Wheel Loaders

926M 930M 938M



GROUND ENGAGING TOOLS

Adapt to any application.

Our Ground Engaging Tools (G.E.T.) equip our attachments for cleaner cuts and faster movements across even the toughest terrain. They also protect heavy-wear areas, extending attachment life and lowering maintenance costs.



FUSION™ COUPLER

Use the attachments you already own.

The Fusion™ Coupler system offers the same performance as our pin-on system, but has all the flexibility of a quick coupler system. The common interface makes switching attachments seamless.



QUICK REFERENCE

Find attachments made for your work.

	Angle Brooms	Construction Forks	General Purpose Performance Series Buckets	Grading Buckets
Site Prep and Demolition			X	X
Concrete Prep and Flatwork			X	X
Material Handling		X	X	X
Excavation and Earth Moving			X	X
Trenching and Utilities			X	X
Finishing and Site Clean-Up	X		X	X
Snow Removal	X		X	X

	Multi-Purpose Buckets	Pallet Forks	Pickup Brooms	Pipe and Pole Forks	Sand and Gravel Buckets
Site Prep and Demolition	X		X		X
Concrete Prep and Flatwork	X				X
Material Handling	X	X		X	X
Excavation and Earth Moving	X				X
Trenching and Utilities	X				X
Finishing and Site Clean-Up	X		X		X
Snow Removal	X				X

Grapple Buckets	High Dump Buckets	Light Material Buckets	Loader Rakes	Material Handling Arms	Millyard Forks
X	X	X	X	X	
X	X	X		X	
X	X	X		X	X
X	X	X			
X	X	X		X	
X	X	X	X	X	
X	X	X			

Side Dump Buckets	Sorting Grapple Forks	Special Application Brooms	Waste Handling Buckets	Woodchip Buckets
X		X	X	
X		X	X	
X	X	X	X	X
X		X	X	
X		X	X	
X		X	X	
X		X	X	X

Find attachments made for your machine.

	Angle Brooms	Construction Forks	General Purpose Performance Series Buckets	Grading Buckets	Grapple Buckets
	BA25 BA30				
926M	X	X	X	X	X
930M	X	X	X	X	X
938M	X	X	X	X	X

	Pallet Forks	Pickup Brooms	Pipe and Pole Forks	Sand and Gravel Buckets	Side Dump Buckets	Sorting Grapple Forks
		BP25				
926M	X	X		X	X	X
930M	X	X		X	X	X
938M	X		X	X	X	X

High Dump Buckets	Light Material Buckets	Loader Rakes	Material Handling Arms	Millyard Forks	Multi-Purpose Buckets
X	X	X	X		X
X	X	X	X		X
X	X	X	X	X	X

Special Application Brooms	Waste Handling Buckets	Woodchip Buckets
2.5 3.0		
X	X	X
X	X	X
X	X	X

Machine model availability and attachments vary by region. Please contact your local Cat dealer.

WORK WITHOUT WORRY.

We back our attachments with a one-year warranty and ongoing Cat dealer support. It's another way we're helping protect what you rely on.

